



Department of Hydraulic and Sanitary Engineering

SELECTED PAPERS

2023

Dysarz T., Kałuża T., Mickevičius K., Veigneris J., Zawadzki P., Kujawiak S., Zaborowski S., Wicher-Dysarz J., Walczak J., Nieć J., Baublys R. (2023): [Application of Physical and Numerical Modeling for Determination of Waterway Safety under the Bridge in Kaunas City, Lithuania](https://doi.org/10.3390/w15040731). *Water*. 2023; 15(4):731. <https://doi.org/10.3390/w15040731>

2022

Zawadzki P., Walczak Z., Nieć J., Hämmerling M. (2022): [Hydraulic Calculations of a Slotted Separator Using the SSIIM Program](https://doi.org/10.54740/ros.2022.013). *Rocznik Ochrona Środowiska* 2022, vol. 24, pp. 172-189. <https://doi.org/10.54740/ros.2022.013>

Kałuża T., Hämmerling M., Zawadzki P., Czekala W., Kasperek R., Sojka M., Mokwa M., Ptak M., Szkudlarek A., Czechowski M., Dach J. (2022): [The hydropower sector in Poland: Barriers and the outlook for the future](https://doi.org/10.1016/j.rser.2022.112500). *Renewable and Sustainable Energy Reviews* 163 (2022) 112150, doi.org/10.1016/j.rser.2022.112500

Kałuża T., Hämmerling M., Zawadzki P., Czekala W., Kasperek R., Sojka M., Mokwa M., Ptak M., Szkudlarek A., Czechowski M., Dach J. (2022): [The hydropower sector in Poland: Historical development and current status](https://doi.org/10.1016/j.rser.2022.112150). *Renewable and Sustainable Energy Reviews* 158 (2022) 112150, doi.org/10.1016/j.rser.2022.112150

Hämmerling M., Kałuża T., Zawadzki P., Zaborowski S., Sojka M., Liberadzki D., Ptak M., (2022): [Application of Multi-Criteria Analytic Methods in the Assessment of the Technical Conditions of Small Hydraulic Structures](https://doi.org/10.3390/buildings). *Buildings* **2022**, 12, 115. doi.org/10.3390/buildings

2021

Nieć J., Błażejowski R., Zawadzki P., Kozłowski M., (2021): [Comparison of Seepage Models Applied to Design of Trapezoidal Infiltration Trenches and Basins](https://doi.org/10.1061/(ASCE)IR.1943-4774.0001538). *Journal of Irrigation and Drainage Engineering* Volume 147, Issue 4 doi:10.1061/(ASCE)IR.1943-4774.0001538.

Walczak N., Walczak Z., Nieć J., (2021): [Influence of Debris on Water Intake Gratings in Small Hydroelectric Plants: An Experimental Study on Hydraulic Parameters](https://doi.org/10.3390/en14113248). *Energies*, 2021, 14(11); <https://doi.org/10.3390/en14113248>.

2020

Kałuża T., Hämmerling M. (2020): [Applicability of the Multiple-Criteria Decision-Making Method to Assess Potential for Watercourse Revitalisation in Urbanised Areas Based on](https://doi.org/10.3390/w12051538)

- [the Wierzbak Watercourse](#). Middle Pomeranian Scientific Society of the Environment Protection, Rocznik Ochrona Środowiska, Volume 22. pp 400-416
- Kałuża T., Sojka M., Wróżyński R., Jaskuła J., Zaborowski S., Hämmerling M., (2020): [Modeling of River Channel Shading as a Factor for Changes in Hydromorphological Conditions of Small Lowland Rivers](#). Water 2020, 12, 527; DOI:10.3390/w12020527
- Kujawiak S., Makowska M., Mazurkiewicz J. (2020): [The effect of hydraulic conditions in barbotage reactors on aeration efficiency](#). Water 12(3),742
- Kujawiak S., Makowska M., Pawlak M. (2020): [Efficiency of wastewater treatment in hybrid barbotage reactors with a moving beds](#). Environment Protection Engineering vol. 46, no. 3, DOI: 10.37190/epe200305
- Makowska M., Sowinska A.: [Characteristics of organic pollutants in wastewater from individual treatment systems](#). Desalination and water treatment 206(2020)22-26 DOI: 10.5004/dwt.2020.26158
- Spychała M., Pawlak M., Makowska M. (2020): [Influence of solids contained in septic tank effluent on lifespan of soil infiltration systems](#). Desalination and water treatment 181(2020)204-212 DOI: 10.5004/dwt.2020.25101
- Wicher-Dysarz J., Szałkiewicz E., Jaskuła J., Dysarz T., Rybacki M. (2020): [Possibilities of Controlling the River Outlets by Weirs on the Example of Noteć Bystra River](#). Sustainability, 12, 2369; doi:10.3390/su12062369.

2019

- Dysarz T., Wicher-Dysarz J., Sojka M., Jaskuła J. (2019): [Analysis of extreme flow uncertainty impact on size of flood hazard zones for the Wronki gauge station in the Warta river](#). Acta Geophysica. 67, 661–676(2019).
- Hämmerling M., Walczak N., Walczak Z., Zawadzki P.: [Assessment of technical conditions of bank protection of watercourses and reservoirs in the city of Poznań](#). Acta Sci. Pol. Formatio Circumiectus 18 (3) 2019, 3-17.
- Nieć J., Zawadzki P., Kałuża T.: [Numerical Simulation of Groundwater Level Changes: a Case Study of the Strużyna Reservoir](#). Rocznik Ochrona Środowiska 2019 (21) 141-156.
- Nieć J., Zawadzki P., Nowacki F.: [Small Dam Drainage with Nonwoven Geotextile after 40 Years of Exploitation](#) Appl. Sci. 2019, 9(19), 4161; <https://doi.org/10.3390/app9194161>
- Spychał M., Nieć J., Zawadzki P., Matz R., Nguyen T.H. [Removal of Volatile Solids from Greywater Using Sand Filters](#). Appl. Sci. 2019, 9, 770; doi:10.3390/app9040770
- Walczak N., Hämmerling M., Zawadzki P., Oliskiewicz-Krzywicka A., Dąbrowski T.: [Study of the Outflow Conditions of the Weir Skoki on the Paklica River](#). Rocznik Ochrona Środowiska 2019 (21) 1489-1504.

2018

- Błażejowski R., Nieć J., Murat-Błażejewska S., Zawadzki P. : Comparison of infiltration models with regard to design of rectangular infiltration trenches. Hydrological Sciences Journal, Vol. 62. Issue 11, 1707-1716. <https://doi.org/10.1080/02626667.2018.1523616>.
- Hammerling M., Walczak N., Jakub Nieć J.: [The Influence of the Selected Turbulence Model and Grid Density Degree on the Results of Velocity Distribution Obtained with the Use of the Simulation Program SSIIM](#). Journal of Ecological Engineering Volume 19, (3), 2018, 106–114

Laks I., Kaluża T., Zawadzki P.: [Der Einfluss einer Deichbresche eines Flusspolders auf die Hochwasserwelle — eine Fallstudie Golina an der Warthe in Polen](#). Wasserwirtschaft 108(5): 21-26.

Zawadzki P., Kujawiak S., Walczak N., Oliskiewicz-Krzywicka A. (2018): [Investigation of a Slotted Separator for Hydromechanical Installation of Sludge Removal from a Water Reservoir](#). Rocznik Ochrona Środowiska, Volume/tom 20, 464-480.

2017

Dysarz T., Szalkiewicz E., Wicher-Dysarz J.: [Long-Term Impact of Sediment Deposition and Erosion on Water Surface Profiles in the Ner River](#). Water No 9, 1-14.

Kaluża T., Zawadzki P., Tymiński T., Laks I. (2017): [Hochwasserschutz in Posen \(Poznań\): Geschichte und heutige Anforderungen](#). Wasserwirtschaft 107(9): 47-52.

Nawrot T., Błażejowski R., Matz R.: [Modeling and design of innovative small diameter gravity sewerage system](#). Journal of Ecological Engineering, Volume 18, Issue 3, 162-173.

Nieć J., Zawadzki P., Walczak Z., Spychał M. (2017): [Calculating earth dam seepage using Hydrus software applications](#). Acta Sci. Pol. Formatio Circumiectus, 16(3) 2017, 43-56.

Walczak N.: [Economic evaluation of maintaining the capacity of trash racks in hydraulic engineering structures](#). Journal of Ecological Engineering, Volume 18, Issue 3, 195–201.

2016

Hämmerling M., Walczak Z., Walczak N., Zawadzki P.: [The possibilities of using HEC-RAS software for modelling hydraulic conditions of water flow in the fish pass exemplified by the Pomółowo barrage on the Wieprza river](#). Journal of Ecological Engineering, 2016, 17(2): 81-89.

Jaskuła J., Sojka M., Wicher-Dysarz J., Dysarz T.: [Trend of changes in physicochemical state of the River Ner](#). Journal of Ecological Engineering, Volume 17, Issue 5, Nov. 2016, pages 27–34

Kaluża T., Szoszkiewicz K., Radecki-Pawlik A., Walczak N., Plesiński K.: [Impact of River Restoration on Hydromorphological Processes: The River Flinta as a Case Study](#). GeoPlanet: Earth and Planetary Sciences. Hydrodynamic and Mass Transport at Freshwater Aquatic Interfaces. 34th International School of Hydraulics. Springer International Publishing. s. 183-196

Kaluża T., Szoszkiewicz K., Szalkiewicz E.: [Hydromorphological effect introducing small water structures in river restoration – the example of PBHS implementation](#), Journal of Ecological Engineering 17(2): 90-96.

Makowska M., Sowinska A., Spychała M.: [The concept of alteration and management of sewage sludge at the sewage treatment plant in Szamotuły](#). Infrastruktura i Ekologia Terenów Wiejskich. Infrastructure and Ecology of Rural Areas IV/4/, 1961 – 1972.

Makowska M., Mazurkiewicz J.: [Treatment of wastewater from service areas at motorways](#). Archives of Environmental Protection vol. 42 no. 4, 80-89.

Nieć J., Spychała M., Mazurkiewicz J.: [Septic Tank Effluent Pretreatment Using Different Filter Materials as a Prevention from Clogging](#). Engineering and Protection of Environment 2016, 19(1), 15-25

Nieć J., Spychała M., Zawadzki P.: [New Approach to Modelling of Sand Filter Clogging by Septic Tank Effluent](#). Journal of Ecological Engineering Volume 17, Issue 2, Apr. 2016, pages 97–107 DOI: 10.12911/22998993/62296

- Sowinska A., Makowska M.: [Suspended and immobilized biomass in individual wastewater treatment systems SBR and SBBR](#). Desalination and Water Treatment
- Sojka M., Jaskuła J., Wicher-Dysarz J., Dysarz T.: [Assessment of dam construction impact on hydrological regime changes in lowland river – A case of study: the Stare Miasto reservoir located on the Powa River](#). Journal Of Water And Land Development , No. 30 (VII–IX): 119–125
- Sojka M., Jaskuła J., Wicher-Dysarz J., Dysarz T.: [The impact of the Kowalskie Reservoir on the hydrological regime alteration of the Główna River](#). Journal of Ecological Engineering, Volume 17, Issue 4, s. 91-98
- Walczak N., Walczak Z., Hämmerling M.: [The effect of the geometric structure of flood plain vegetation on the probability of passing for plant debris](#). Journal of Ecological Engineering, Volume 17, Issue 4, 304-310.
- Walczak N., Walczak Z., Hämmerling M., Spychała M., Nieć J.: [Head losses in small hydropower plant trash racks \(SHP\)](#). Acta Scientiarum Polonorum, Formatio Circumiectus 15(4), s.369-382
- Zawadzki P., Murat-Błażejewska S., Błażejewski R.: [Eutrophication of the Strzeszyńskie Lake: sources, consequence and remedies](#). Civil and Environmental Engineering Reports, CEER 2016: 21 (2):161-169

2015

- Dysarz T., Wicher-Dysarz J., Sojka M.: [Assessment of the Impact of New Investments on Flood Hazard- Study Case: The Bridge on the Warta River near Wronki](#). Water No. 7, s. 5752-5767
- Kałuża T., Laks I.: [Verification on the range of the active flow zone in Floyd plain by ADCP probe](#). Wasserbauliche Mitteilungen Heft 53 Massen und Überwachen im Wasserbau und am Gewässer. Technische Universität Dresden. 151-170
- Kubicz J., Hämmerling M., Walczak N.: [The use of AHP method for determination of the most environmentally beneficial variants of barrages](#). Journal of Ecological Engineering, vol. 16, Issue 4, s. 36-43
- Matz R., Błażejewski R., Nawrot T., Spychała M., Jeżowska J., Makowska M.: [Hydraulic characteristics of innovative tubular reactor with helical rotors](#). Charakterystyka hydrauliczna innowacyjnego reaktora rurowego z helikalnymi rotorami. Przemysł chemiczny, nr 11.
- Nieć J., Spychała M., Ławniczak A. E., Walczak N. (2015): [Usuwanie biomasy z oczek wodnych i małych zbiorników naturalnych przy użyciu filtrów włókninowych](#). Inżynieria Ekologiczna Ecological Engineering Vol. 44, 2015, 196–203
- Pawlak M., Błażejewski R., Drelak D.: [Settling velocities of simple bead agglomerates at low Reynolds numbers](#). 17th International Conference on Transport & Sedimentation of Solid Particles, 22-25 września 2015 r. Delft, s. 221-228
- Pawlak M., Skiba M., Spychała M., Nieć J.: [The investigation of density currents and rate of outflow from a septic tank](#). Journal of Ecological Engineering, vol. 16, issue 4, s. 103-110
- Sojka M., Kanclerz J., Dysarz T., Wicher-Dysarz J.: [Application of multivariate statistical methods for analysis of physical and chemical factors in reservoir with separated pre-dam zone on the basis of the ex ample of Jezioro Kowalskie](#). Fresenius Environmental Bulletin vol. 24, no. 4b, s. 1516-1522
- Sowinska A., Makowska M.: [Suspended and immobilized biomass in individual wastewater treatment systems SBR and SBBR](#). Desalination and Water Treatment, Volume 57, Issue 50, 1-12
- Spychała M., Lucyk P.: [Effect of thickness of textile filter on organic compounds and nutrients removal efficiency at changeable wastewater surface level](#). Nauka Przyroda Technologie t. 9, z. 3, s. #44

- Spychała M., Nieć J., Walczak W., Marciniak A.: [Colloids in septic tank effluent and their influence on filter permeability](#). Journal of Ecological Engineering, vol. 16, issue 4, s. 74-80
- Spychała M., Sowińska A., Starzyk J., Masłowski A.: [Protozoa and metazoa relations to technological conditions of non-woven textile filters for wastewater treatment](#). Environmental Vol. 36, Issue 15.
- Spychała M., Starzyk J.: [Bacteria in non-woven textile filters for domestic wastewater treatment](#). Environmental Technology, Vol. 36, Issue 8.
- Walczak N., Hammerling M., Spychała M., Jakub Nieć J.: [The Influence Of The Presence of Vegetations in Floodplains on Flood Risks](#). Journal of Ecological Engineering Vol. 16, Issue 5, Nov. 2015, pages 159–166

2014

- Błażejowski R., Murat-Błażejowska S.: [Resistance to creeping flow and permeability of stacked spheres](#). Journal of Porous Media 17(8), 731-740.
- Carmona P.C.R., Witaszek K., Janczak D., Czekąła W., Lewicki A., Dach J., Pilarski K., Mazur R. (2014): [Methane fermentation of the poultry manure as an alternative and environmentally friendly technology of its management](#). Archives of Waste Management and Environmental Protection, vol. 16, issue 1, s. 21-26
- Chang Y., Wu S., Zhang T., Mazur R., Pang C., Dong R.: [Dynamics of nitrogen transformation depending on different operational strategies in laboratory-scale tidal flow constructed wetlands](#). Science of the Total Environment 487, 49-56.
- Czekąła W., Dach J., Janczak D., Lewicki A., Rodriguez Carmona P.C., Witaszek K., Mazur R.: [Comparison of the aerobic and anaerobic technologies of pig manure management in different ambient temperature conditions](#). Archives of Waste Management and Environmental Protection, vol. 16, issue 2, 19-32.
- Hämmerling M., Walczak N., Zawadzki P., Kałuża T.: [Delay in the flow of plant debris on floodplains overgrown with shrub](#). Acta Scientiarum Polonorum, Formatio Circumiectus, 13 (4) 2014.
- Kałuża T., Eslamian Saeid.: [Impact of the Development of Vegetation on Flow Conditions and Flood Hazards](#). In: Handbook of Engineering Hydrology. Modeling, Climate Change, and Variability. Book II, 415-449.
- Makowska M., Spychała M.: [Organic compounds fractionation for domestic wastewater treatment modeling](#). Polish J. of Environ. Stud. Vol. 23, No. 1, 131-137
- Mazur R., Lewicki A., Przybył K., Zaborowicz M., Koszela K., Boniecki P., Mueller W., Raba B.: [The Application of Computer Image Analysis in Life Sciences and Environmental Engineering](#). In: Sixth International Conference on Digital Image Processing (ICDIP 2014), Proc. of SPIE vol. 9159, 915911-1-6.
- Nieć, J.; Spychała, M. (2014) [Hydraulic Conductivity Estimation Test Impact on Long-Term Acceptance Rate and Soil Absorption System Design](#). Water, 6, 2808-2820.
- Piekarska-Boniecka H., Mazur R., Wagner A., Trzeciński P.: [Selected elements of cultural landscape structure in Wielkopolska region of Poland as habitats for the parasitoid hymenoptera Pimplinae \(Hymenoptera, Ichneumonidae\)](#). Insect Conservation and Diversity, 35/ IF1.937.

2013

- Carmona P.C.R., Piechota T., Mazur R.: [Influence of Added Co Substrates, Technical and Technological Factors on the Fermentation Process of Municipal Wastewater Sludge](#). Procedia Technology 8, 618-621.
- Dobrowolski J. W., Śliwka M., Mazur R.: [Laser biotechnology for more efficient bioremediation, protection of aquatic ecosystems and reclamation of contaminated areas](#). Journal of Chemical Technology and Biotechnology 2012; 87, 1354-1359.

- Dysarz T., Wicher-Dysarz J., Sojka M.: [Analysis of Highway Bridge Impact on the Sediment Redistribution along the Stare Miasto Reservoir, Poland](#). Proceedings of the 35th IAHR World Congress
- Dysarz T., Wicher-Dysarz J.: [Analysis of Flow Conditions in the Stare Miasto Reservoir Taking into Account Sediment Settling Properties](#). Annual Set The Environment Protection. Rocznik Ochrona Środowiska t. 1, 584-605.
- Górski K., Ignatowicz R.L., Wierzbicki J., Mazur R., Mazurkiewicz J.: [The numeric calculation of influence of underpinning footing technology on settlement](#). Studia Geotechnica et Mechanica Issue:4.
- Hämmerling M., Błażejowski R., Walczak N.: [Modeling of Local Scour in Non-cohesive Soils Below Sills Using SSIIM Computer Code](#). Annual Set The Environment Protection. Rocznik Ochrona Środowiska t. 15, pp. 538-550
- Janczak D., Lewicki P., Mazur R., Boniecki P., Dach J., Przybył J., Pawlak M., Pilarski K., Czekala W.: [The selected examples of the application of computer image analysis in the assessment of environmental quality](#). Proc. SPIE 8878, Fifth International Conference on Digital Image Processing (ICDIP 2013), 88783R (July 19, 2013); doi:10.1117/12.2031069.
- Kałuża T., Zawadzki P.: [Flow capacity coefficient of strainers](#). In: Experimental and Computational Solutions of Hydraulic Problems, (Ed.) Rowiński P., Springer Series: [GeoPlanet: Earth and Planetary Sciences](#), pp 159-170.
- Laks I., Kałuża T., Sojka M., Walczak Z., Wróżyński R.: [Problems with Modelling Water Distribution in Open Channels with Hydraulic Engineering Structures](#). Annual Set The Environment Protection. Rocznik Ochrona Środowiska t. 15, 245-257.
- Makowska M., Spychała M., Mazur R.: [Removal of Carbon and Nitrogen Compounds in Hybrid Bioreactors. Biomass Now – Cultivation and Utilization](#). INTECH Rijeka Croatia
- Mazur R., Wagner A., Zhou M.: [The application of the Lymnaea stagnalis embryo-test in the toxicity bioindication of surfactants in fresh waters](#). Ecological Indicators 30, 190-195.
- Nieć J., Spychała M., Nieć A.: [Weryfikacja minimalnych odległości sytuowania systemów rozsączania ścieków względem ujęć wody](#). Acta Scientiarum Polonorum, Formatio Circumiectus 12 (2) 2013, s. 61–70
- Nowakowski K., Raba B., Tomczak R.J., Boniecki P., Kujawa S., Nowak P.J., Matz R.: [Identification of physical parameters of cereal grain using computer image analysis and neural models](#). Proc. SPIE 8878, Fifth International Conference on Digital Image Processing (ICDIP 2013), 88782R (July 19, 2013); doi: 10.1117/12.2030696.
- Spychała M., Błażejowski R., Nawrot T.: [Performance of innovative textile biofilters for domestic wastewater treatment](#). Environmental Technology, vol. 34, No 2, pp. 157-163
- Spychała M., Nieć J., Pawlak M.: [Preliminary study on filamentous particle distribution in septic tank effluent and their impact on filter cake development](#). Environmental Technology vol. 34, No. 20, pp. 2829-2837.
- Spychała M., Nieć J.: [Impact of septic tank sludge on filter permeability](#). Environment Protection Engineering vol. 39, No. 2, pp. 77-89
- Witaszek K., Pilarski K., Kanczak D., Czekala W., Lewicki A., Carmona P.C.R., Dach J., Mazur R.: [The possibilities of green waste from urban areas management for energetic and fertilizer purposes](#). Archives of Waste Management and Environmental Protection vol. 15, issue 4, 21-28.
- Zaborowicz M., Boniecki P., Koszela K., Przybył J., Mazur R., Kujawa S., Pilarski K.: [Use of artificial neural networks in the identification and classification of tomatoes](#). Proc. SPIE 8878, Fifth International Conference on Digital Image Processing (ICDIP 2013), 88783R (July 19, 2013); doi:10.1117/12.2031069.

- Błażejowski R., Matz R.: [Design flows for pressure sewers](#). Environment Protection Engineering, vol. 38, No. 2, Wrocław, pp. 157-170.
- Błażejowski R.: [Apparent viscosity and settling velocity of suspensions of rigid monosized spheres in Stokes flow](#). International Journal of Multiphase Flow 39, pp. 180-185.
- Kałuża T., Laks I.: The [Jeziorsko Reservoir and its Operation under Flood Conditions in 2010](#). Barrage Structures, Build, Operate. Dresdner Wasserbauliche Mitteilungen Heft 47, 23-32.
- Kałuża T., Tymków P., Strzeliński P.: [Use of Remote Sensing for Investigating Riparian Shrub Structures](#). Polish Journal of Environmental Studies, vol. 21, No. 1, 115-122.
- Tymiński T., Kałuża T.: [Investigation of Mechanical Properties and Flow Resistance of Flexible Riverbank Vegetation](#). Polish Journal of Environmental Studies, vol. 21, No. 1, 201-207.

2011

- Dysarz T., Wicher-Dysarz J.: [Application of Hydrodynamic Simulation and Frequency Analysis for Assessment of Sediment Deposition and Vegetation Impacts on Floodplain Inundation](#). Polish Journal of Environmental Studies, vol 20, No. 6(2011), 1441-1454.
- Spychała M., Pilc L.: [Can Earthworms De-Clog Sand Filters?](#) Polish J. of Environ. Stud. Vol. 20, No 4, 1037-1401.

2010

- Błażejowski R., Kujawa K.: [Hergebruik grijswater in individuele zuiveringsystemen in Polen](#). H2O (2) , pp. 41-45,
- Kałuża T.: [Application of a 2-D flow model to the analysis of forest stability in the Vistula Valley](#). In: Environmental Engineering III pod redakcją Lucjana Pawłowskiego, Marzeny R. Dudzińskiej i Artura Pawłowskiego, Taylor and Francis Group, London, 385-390
- Kundzewicz Z. W., Luger N., Dankers R., Hirabayashi Y., Döll P., Pińskwar I., Dysarz T., Hochrainer S., Matczak P.: [Assessing river flood risk and adaptation in Europe - review of projections for the future](#). Journal Mitigation and Adaptation Strategies for Global Change.
- Pawlak M., Błażejowski R. : [Mathematical model of sedimentation and flotation in a septic tank](#), in: Environmental Engineering III, CRS Press, Taylor & Francis Group, 2010, pp. 497-500.

2009

- Błażejowski R., Murat-Błażejowska S.: [Water retention Time in intermittently dosed sand filters](#). Polish Journal of Environmental Studies, Vol. 18, No. 2, 289-292
- Kałuża T., Laks I., Zawadzki P.: [Hydraulic factors conditioning the reconstruction of the Chwaliszewo Meander in the Poznań Waterways System](#). w: *Water in the Townscape*, A. Januchta-Szostak (ed.), vol. 2, Wydawnictwo Politechniki Poznańskiej, Poznań 2009, pp. 91-100.
- Kałuża T., Leśny J.: [An analysis of tree stand stability relative to Institute of Meteorology and Water Management \(IMGW\) classification of maximum wind velocities](#). Journal of Water and Land Development No. 13a, 103-113
- Makowska M., Spychała M., Błażejowski R.: [Treatment of Septic Tank Effluent In Moving Bed Biological Reactors with Intermittent Aeration](#). Polish J. of Environ. Stud. Vol. 18, No. 6, pp. 1051 – 1057
- Szląg-Wasielewska E., Joniak T., Michałkiewicz M., Dysarz T., Mądrecka B.: [Bacterioplankton of The Warta River in relation to physicochemical parameters and flow rate](#). Ecohydrology & Hydrobiology Vol. 9, No 2-4, 225-236.

2007

- Błażejowski R., Szajdak L., Hoppe-Wawrzyniak A.: [Efficiency of constructed reed bed and reed pond as tertiary wastewater treatment stages during their start-up period](#). Ecohydrology & Hydrobiology Vol. 7, No 3-4, 207-213

2006

- Dysarz T., Dysarz-Wicher J.: [Assessment of hydrologic regime changes induced by the Jeziorsko dam performance and morphodynamic processes in the Warta river](#). Annals of Warsaw Agricultural University – Land Reclamation, 34-43.
- Dysarz T., Wicher-Dysarz J., Przedwojski B.: [Man-induced morphological processes in Warta river, and their impact on the evolution of hydrological conditions](#). Proceedings of the International Conference on Fluvial Hydraulics Lisbon t. 2, Wyd. Taylor&Francis Group, 1301-1310.
- Kowalski R.L., Schröder P.M., Kałuża T.: [Pflanzen in dre 2D Simulation von Flüssen](#). Institut für Wasserbau und Technische Hydromechanik, Dresdener Wasserbauliche Mitteilungen Heft 32, 399-406.
- Przedwojski B., Wicher-Dysarz J., Wierzbicki M., Dysarz T.: The analysis of factors inducing and inhibiting morphological changes of the Warta river reach downstream of the Jeziorsko reservoir. Proceedings Third International Conference on Scour and Erosion, Wyd. CUR Bouw&lufra AK Gouda The Netherlands, 539-546.

2005

- Dysarz T.: [Control of the reservoirs system during flood: Concept of learning in multi-stage decision process](#). Interim Report IR-05-031, International Institute for Applied Systems Analysis Austria
- Makowska M., Spychała M., Błażejowski R., Borowski J.: [Nitrogen removal by moving bed biological reactors with intermittent aeration](#). IWA Specialized Conference “Nutrient Management in Wastewater Treatment Processes and Recycle Streams”, 19-21 września 2005, Kraków, 1009-1013.